



# UNITED STATES PATENT AND TRADEMARK OFFICE

88

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/716,739

11/18/2003

Murugan R. Pandian

A-1789div

6774

7590

08/11/2006

Donald E. Stout

Stout, Uxa, Buyan & Mullins, LLP

Suite 300

4 Venture

Irvine, CA 92618

EXAMINER

COUNTS, GARY W

ART UNIT

PAPER NUMBER

1641

DATE MAILED: 08/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Advisory Action  
Before the Filing of an Appeal Brief**

Application No.

10/716,739

Applicant(s)

PANDIAN ET AL.

Examiner

Gary W. Counts

Art Unit

1641

**--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

THE REPLY FILED 18 July 2006 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE.

1. ☒ The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods:

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.  
b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection.

Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**NOTICE OF APPEAL**

2. ☐ The Notice of Appeal was filed on \_\_\_\_\_. A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal. Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a).

**AMENDMENTS**

3. ☐ The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will not be entered because  
(a) ☐ They raise new issues that would require further consideration and/or search (see NOTE below);  
(b) ☐ They raise the issue of new matter (see NOTE below);  
(c) ☐ They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or  
(d) ☐ They present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: \_\_\_\_\_. (See 37 CFR 1.116 and 41.33(a)).

4. ☐ The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324).

5. ☐ Applicant's reply has overcome the following rejection(s): \_\_\_\_\_.

6. ☐ Newly proposed or amended claim(s) \_\_\_\_\_ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).

7. ☒ For purposes of appeal, the proposed amendment(s): a) ☐ will not be entered, or b) ☒ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: NONE.

Claim(s) objected to: NONE.

Claim(s) rejected: 23, 24, 42-44.

Claim(s) withdrawn from consideration: \_\_\_\_\_.

**AFFIDAVIT OR OTHER EVIDENCE**

8. ☐ The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e).

9. ☐ The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing of good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1).

10. ☐ The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached.

**REQUEST FOR RECONSIDERATION/OTHER**

11. ☒ The request for reconsideration has been considered but does NOT place the application in condition for allowance because: see continuation sheet.

12. ☐ Note the attached Information Disclosure Statement(s). (PTO/SB/08 or PTO-1449) Paper No(s). 1

13. ☐ Other: \_\_\_\_\_.

**LONG V. LE**  
**SUPERVISORY PATENT EXAMINER**  
**TECHNOLOGY CENTER 1600**

**Advisory Action**

Continuation of 11 NOTE: Applicant argues that as set forth in Example 3 of the instant application (page 27 of the specification as originally filed), the "combo" assay using an antibody to hyperglycosylated hCG ("B152") and an antibody to free beta hCG ("827") yields unexpected results in that the combo assay provided about "6 to 12 times greater sensitivity" than the assay using only the B152 antibody. Applicant further states that as stated in Cole (page 314, second and third full paragraphs), using hCG to diagnose choriocarcinoma gave a high incidence of false positive results (which can lead to unnecessary treatment including surgery and chemotherapy). This is not found persuasive because the combination of references (see previous office actions) teaches the use of two different antibodies particularly B152 (same as used by applicant) and B108 or B109 as the second capture antibody (see O'Connor Col 7 & 8). Further, with respect to Applicant's statement concerning the 827 antibody. There is no conventional method for naming antibodies therefore Examiner interprets the B108 and B109 capture antibodies disclosed in O'Connor to be the same as the 827 mentioned by Applicant. Further, it is noted that the currently recited claims do not recite an 827 antibody. Also, since the combination of references teach and use the same antibodies as applicant, the greater sensitivities would flow naturally from following the suggestion of the prior art.

Applicant further argues it would not have been obvious to one of skill in the art at the time the invention was made to use two different antibodies, one for hyperglycosylated hCG and one for hCG, because one of skill in the art could not have

Art Unit: 1641

expected that using an antibody to hCG would increase the sensitivity of an assay for hyperglycosylated hCG. This is not found persuasive because this statement is not on point. The current claims are directed to a method of detecting Trophoblastic disease and not a method for assaying for hyperglycosylated hCG. Applicant further argues that there is no teaching or suggestion in any of the cited references that the use of two such antibodies together in the same assay would be advantageous in the detection of trophoblast disease. This is not found persuasive because as stated in the previous office action patients with trophoblastic disease are known to produce levels of hyperglycosylated hCG and hCG and one of ordinary skill in the art would expect that using two markers for the detection of an assay would be more sensitive and provide greater confirmation than the detection of one marker. Further, as stated above the combination of references teach the same reagents as used by Applicant and thus would achieve the same results. Also, the fact that applicant has recognized another advantage which would flow naturally from the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary W. Counts whose telephone number is (571) 2720817. The examiner can normally be reached on M-F 8:00 - 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1641

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Gary Counts  
Examiner  
Art Unit 1641  
July 31, 2006